

Product Specification

Product class: LED LENS

Item No: DK-153X96-90-LENS-28H1

Material: PC

Certification: RoHS



Content

Specification-----	3
2D Drawing-----	4
Optical Datasheet-----	5
Packing Details-----	6
Application Notes-----	7

Specification

Item No	Picture	Size	Matched LED	Lighting Application
DK-153X96-90-LENS-28H1		Diameter: 152.94*95.4mm Height: 8.4mm FWHM: 90°	5050	luminaire for industrial use

Drawing



Optical test report

产品特征

灯具制造厂商:
电压: 43.0 V
功率: 13.76 W

电流: 0.320 A
功率因数: 1.000


光度结果

灯具CIE分类: 直接型
灯具光通量: 2599.6 lm
下射光通量比: 97%
水平扩散角(50%): H90.8
垂直扩散角(50%): V90
灯具光效等级(LER): 188.97
峰值光强: 1316.32 cd
S/MH(C0/C180): 1.32


额定光通量: 2599.6 lm
灯具效率: 100%
上射光通量比: 3%

中心光强: 1270.32 cd
峰值光强位置: H90 V4
S/MH(C90/C270): 1.30



灯具实物照片



配光曲线



配光曲线



Packing Details

Material	Size	Packing Instruction
EPE	315*230mm	88PCS/1 Box 4 Box/1 Carton
Plastic bag	170*190mm	
White Paperboard	A level; 400g; 310*235mm	
Box	335*245*105mm	
Carton	A=B 510*330*255mm	



Application Notes

(1) Please use a little water and soft fabric (air-laid paper) to clean the lens & reflector if necessary.

(2) Forbid to use industrial solvent to clean the lens, such as alcohol.

(3) The working temperature is $-40^{\circ}\text{C}\sim+80^{\circ}\text{C}$ (PMMA) or $-35^{\circ}\text{C}\sim+120^{\circ}\text{C}$ (PC).

(4) Storage environment temperature is $0^{\circ}\text{C}\sim40^{\circ}\text{C}$, humidity is 30%~95%。

Optic Lens has the function to change the ray of light, it is made of optical material, the effect shall be influenced once pollute. Please do not open the packing before use it, to avoid the dust pollution.

(5) Protect the product from the sun and other ultraviolet ray, as these will lead to aging, change color, crack, etc.

(6) Please wear gloves once install the lens, avoid to abrasion the lens surface.

(7) Forbid to use acidic or alkaline solution touch the product, avoid to generate the chemical reactions.