

Product datasheet

DK-156-148X89-TPII-S-Semi Cutoff-12H1-GLass



Contents

Product datasheet	1
Contents	2
Part number explanation	3
General information	4
Photometric data (Simulated)	5
Dimension	6
Packing information	7



Part number explanation

DK-156-148*89-TPII-S -Semi Cutoff -12H1-GLass

D1 D2 D3 D4 D 5 D6

D1: Company code (DARKOO)

D2: Product Length

D3: Product Length

D4: Product Angle

D5: Beam quantity

D6: Semi-Cutoff Light Distribution



General information

❖ Features

- High efficiency
- Uniform light spot
- No-need lens holder
- Semi-Cutoff

❖ Applications

- street lamp

❖ Material information




- Lens material: Glass
- The working temperature is: $-60^{\circ}\text{C}\sim+400^{\circ}\text{C}$
- Storage environment temperature is $0^{\circ}\text{C}\sim40^{\circ}\text{C}$, humidity is 30%~95%

❖ Application Notes

- Please use a litter water and soft fabric (air-laid paper) to clean the lens if necessary.
- Optic Lens has the function to change the ray of light, it is made of optical material, the effect shall be influenced once pollute. Please do not open the packing before use it, to avoid the dust pollution.
- Please ware gloves once install the lens, avoid to abrasion the lens surface.
- Forbid to use acidic or alkaline solution touch the product, avoid to generate the chemical reactions.



Photometric data (Simulated)


Picture	Item No	Angle	Matched LED
	DK-156-148X89-TPII-S-Semi-Cutoff-12H1-GLass	148°89°	5050 7070
	7070 LED test result 		
			SMD5050 LED Simulated result




Dimension

1、 Installation method: Gasket + Steel Frame

2、 Lens dimension





Packing information

Material	Size	Quantity
BOX	320*245*115MM	-PCS



Carton	510*330*255MM	-PCS
--------	---------------	------

