

Datasheet

LL01CI-DZP6018L06

Available Distribution



19°~60°

Dimensions

Part Number	Diameter	Height
LL01CI-DZP6018L06	Ø70	35


*All dimensions are in millimeters.

LED



CITIZEN
CLU721

Packaging Details (SPQ)



Recommend Applications




Commercial



Spotlight

General Information




- Lens Material PMMA 8N
- Operating Temperature -40°C~+70°C
- UL Flammability HB @1.5mm
- UL RTI Elec 90°C @1.5mm
- Light Transmission Rate 400nm~900nm > 90%
- ✓ If necessary, Clean lenses with mild soap, water and soft cloth.
- ⚠ Never use any commercial cleaning solvents on lenses, like alcohol.
- ⚠ Please handle or install lenses with wearing gloves, skin oils may damage lens or its optical characteristic.

Mechanical Specification

*All dimensions are in millimeters.


Lens Dimension



Assembly Instruction

Fixing Method

LED CITIZEN CLU721



Different distance between LED and lens (as you can see above picture shows) will perform various beam angle. Please find below figures for more information:

- $x = 1\text{mm} \rightarrow \text{Very wide flood}$
- $x = 3\text{mm} \rightarrow \text{Wide flood}$
- $x = 9\text{mm} \rightarrow \text{Flood}$
- $x = 16\text{mm} \rightarrow \text{Spot}$


Photometric Distribution




CITIZEN
CLU721

Distribution


Very wide flood




Wide flood



Flood



Spot



Details by LED

Part No	LED Size	LED
LL01CI-DZP6018L06	LES Ø11	 CITIZEN CLU721

LED	Part No	FWHM	cd / lm	IES
 CITIZEN CLU721	LL01CI-DZP6018L06	64°	0.8	↓
		43°	1.7	↓
		25°	3.7	↓
		17°	5.9	↓

Product Nomenclature

Ledlink Led Type Lens Angle
LL 01 CI -DZP 6018 L06
Lens Dot Number Serial Number Type of Material

Ledlink Optics, Inc

Taiwan HQ

15F, No.655, Bannan Rd., Chung-Ho Dist.,
New Taipei City, Taiwan 235

Ledlink Optics (Dongguan) Co., Ltd

Dongguan Factory

No.5, TianKeng Industrial Dist., HengLi Town, DongGuan City,
GuangDong Province, China 523478

Ledlink Optics (Yangzhou) Co., Ltd

Yangzhou Factory

No.180, LinJiang Rd., YangZhou City, Jiangsu Province, China 225009

www.ledlink-optics.com

service@ledlink-optics.com

