



Datasheet

LL01CR-DEZ10115L06

Available Distribution



10°x115°

Dimensions


Part Number	LxW	Height
LL01CR-DEZ10115L06	25x20	13.75

*All dimensions are in millimeters.

LED



Packaging Details (SPQ)



Recommand Applications



General Information




- Lens Material PMMA 8N
- Operating Temperature -40°C~+70°C
- UL Flammability HB @ 1.5mm
- UL RTI Elec 90°C @ 1.5mm
- Light Transmission Rate 400nm~900nm > 90%
- ✓ If necessary, Clean lenses with mild soap, water and soft cloth.
- ⚠ Never use any commercial cleaning solvents on lenses, like alcohol.
- ⚠ Please handle or install lenses with wearing gloves, skin oils may damage lens or its optical characteristic.

Mechanical Specification



*All dimensions are in millimeters.

Lens Dimension




Assembly Instruction

Fixing Method



Photometric Distribution



Product Nomenclature

Ledlink Led Type Lens Angle

LL 01 CR- DEZ 10115 L06

Lens Dot Number Serial Number Type of Material

Ledlink Optics, Inc

Taiwan HQ

15F, No.655,Bannan Rd., Chung-Ho Dist.,
New Taipei City, Taiwan 235

Ledlink Optics (Dongguan) Co., Ltd

Dongguan Factory

No.5, TianKeng Industrial Dist., HengLi Town, DongGuan City,
GuangDong Province, China 523478

Ledlink Optics (Yangzhou) Co., Ltd

Yangzhou Factory

No.180, LinJiang Rd., YangZhou City, Jiangsu Province, China 225009

www.ledlink-optics.com

service@ledlink-optics.com

