Product Specification

Product class: LENS

Item No: DK-28-LENS-PT-ZHU

Material: PMMA

Certification: RoHS

Content

Specification----------3

2D Drawing----------4


Packing----------5

Application Notes----------6

Specification

Item No	Picture	Size	Matched LED	Lighting Application
DK-28-LENS-PT-ZHU		Diameter: Φ27.8MM Height:8.6mm	3535 XPE	Home decoration lighting

Drawing


φ27.8±0.1
A
A
φ25.5
1.5
8.6±0.1
6°
A–A


防眩罩
ANTI-DAZZLE COVER
透镜
LENS
透镜支架
LENS HOLDER
光源
LED CHIP

Packing Details

Material	Size	Packing Instruction
EPE	120*150mm	120PCS/1 Box 24 Box/1 Carton
White Paperboard	115*150mm	
Box	160*120*80mm	
Carton	A=B 510*330*255mm	

Application Notes

（1）Please use a litter water and soft fabric (air-laid paper) to clean the lens & reflector if necessary.

（2）Forbid to use industrial solvent to clean the lens, such as alcohol.

（3）The working temperature is -40ºC ～ +80ºC for lens, under 120ºC for reflector.

（4）Storage environment temperature is 0ºC～40ºC，humidity is 30%~95%。

Optic Lens has the function to change the ray of light, it is made of optical material, the effect shall be influenced once pollute. Please do not open the packing before use it，to avoid the dust pollution.

（5）Protect the product from the sun and other ultraviolet ray, as these will lead to aging, change color, crack, etc.

（6）Please ware gloves once install the lens, avoid to abrasion the lens surface.

（7）Forbid to use acidic or alkaline solution touch the product, avoid to generate the chemical reactions.