




DK-236*70-120-LENS-48H1-AC




DK-236*70-136*78-TPII-S-48H1-AC




DK-236*70-25-TP-56H1




DK-236*70-60-TP-56H1




DK-236*70-90-TP-56H1




DK-236*70-120-TP-56H1




DK-236*70-143*50-TP-I-S-H-56H1




DK-236*70-138*60-TPII-S-H-56H1




DK-236*70-138*60-TPII-S-V-56H1




DK-236*70-60-Second-TP-64H1




DK-236*70-90-Second-TP-64H1




DK-236*70-151*81-Second-TP-II-S-64H1-H





DK-236*70-151*81-Second-TP-II-S-64H1-V




DK-236*70-60-TP-64H1




DK-236*70-158*70-TPI-S-64H1




DK-236*70-158*95-TPII-M-H-64H1




DK-236*70-158*95-TPII-M-V-64H1




DK-236*70-60-TP-72H1




DK-236*70-90-TP-72H1



DK-236*70-151*81-TPII-S-72H1-H




DK-236*70-151*81-TPII-S-72H1-V




一款240*70mm户外透镜模组系列

Outdoor 240*70mm lens module series


DK-240X70-30-LENS-40H1-K-NN1




DK-240X70-144X66-Type II-M-Cutoff-LENS-64H1-K



DK-240X70-146X72-Type II-S-Cutoff-LENS-40H1-K




DK-240*70-156*67-TypeII-S-LENS-40H1-K




一款250*74mm户外透镜模组系列

Outdoor 250*74mm lens module series


DK-250*74-90-TP-48H1




DK-250*74-151*81-TPII-S-48H1




DK-250*74-151*81-TPII-S-48H1-H




一款252*70mm户外透镜模组系列
Outdoor 252*70mm lens module series




DK-252-90-TP-16H1




DK-252-135*55-TPII-M-H-16H1




DK-252-135*55-TPII-M-V-16H1




DK-252-157*57-TPII-S-V-16H1




DK-252*70-160*80-TPII-M-16H1




DK-252*70-158*103-TPII-M-16H1-7070




DK-252*70-160*80-TPII-M-28H1




DK-252*70-90-LENS-40H1-5050




DK-252*70-165*111-TPII-S-40H1-5050




DK-252*70-25-TP-40H1




DK-252*70-60-TP-40H1




DK-252*70-90-LENS-40H1




DK-252*70-120-TP-40H1




DK-252*70-158*95-TPII-M-TP-48H1




DK-252*70-60-TP-56H1




DK-252x70-60-TPIII-S-56H1-5050




DK-252x70-90-TPIII-S-56H1-5050




DK-252x70-156x67-TPIII-S-56H1-5050





DK-252X70-90-LENS-56H1-5050




DK-252*70-25-TP-64H1-AC





DK-252*70-60-TP-64H1-AC




DK-252*70-136*78-TPII-S-64H1-AC




DK-252*70-60-TP-64H1




DK-252*70-90-TP-64H1




DK-252*70-120-TP-64H1




DK-252*70-151*81-TP-II-S-64H1




DK-252*70-151*81-TP-II-S-64H1-V




DK-252*70-60-TP-76H1-AC




DK-252*70-90-TP-76H1-AC




DK-252*70-120-TP-76H1-AC




DK-252*70-136*78-TPII-S-76H1-AC




DK-252*70-15-TP-84H1




DK-252*70-25-TP-84H1




DK-252*70-40-TP-84H1




DK-252*70-45-TP-84H1




DK-252*70-60-TP-84H1




DK-252*70-75-LENS-84H1




DK-252*70-90-TP-84H1




DK-252*70-90*90-TP-84H1




DK-252*70-120-LENS-84H1




DK-252*70-30*65-LENS-84H1




DK-252*70-30*70-TP-84H1




DK-252*70-136*78-TPII-S-84H1-H




DK-252*70-136*78-TP-II-S-84H1




DK-252*70-151*81-TP-II-S-H-84H1




DK-252*70-151*81-TP-II-S-V-84H1




DK-252*70-54*40-TPIII-S-84H1




DK-252*70-49*21-TPIV-S-84H1




DK-252*70-120-LENS




DK-252*70-40*120-LENS-192H1




DK-252*70-60*120-LENS-192H1





DK-252*70-90*120-LENS-192H1





DK-252*70-110*120-LENS




DK-252*70-P55-Sport




DK-252X70-60-LENS-56H1-5050




DK-252X70-60-TP-84H1-B-NN1



DK-252-146X85-TPII-M-H-Cutoff-24H1-NN1




DK-252*70-60-LENS-40H1-5050




一款253*74mm户外透镜模组系列

Outdoor 253*74mm lens module series


DK-253*74-30-TP-64H1




DK-253*74-60-TP-64H1



DK-253*74-90-TP-64H1




DK-253*74-30*90-TP-64H1




一款253*120mm户外透镜模组系列

Outdoor 253*120mm lens module series


DK-253*120-60-TP-36H1




DK-253*120-90-TP-36H1




DK-253*120-150-TPV-36H1




DK-253*120-151*81-TPII-M-36H1



DK-253*120-117*52-TPIII-S-36H1





DK-253*120-140*100-TPIV-S-36H1




一款254*80mm户外透镜模组系列

Outdoor 254*80mm lens module series


DK-254-90-LENS-91H1



DK-254-30*70-TP-91H1




DK-254-40*100-TP-91H1




一款263*68mm户外透镜模组系列

Outdoor 263*68mm lens module series


DK-263*68-25-TP-64H1




DK-263*68-60-TP-64H1




DK-263*68-90-TP-64H1




DK-263*68-120-TP-64H1




DK-263*68-30*80-TP-64H1



DK-263*68-157*85-TP-64H1




DK-263*68-157*85-TP-H-64H1




一款265*70mm户外透镜模组系列
Outdoor 265*70mm lens module series


DK-265*70-60-LENS-64H1




DK-265*70-90-LENS-64H1




DK-265*70-120-LENS-64H1




DK-265*70-158*95-TPII-M-64H1



DK-265*70-60-TP-72H1




DK-265*70-151*81-TPII-S-72H1




一款270*75mm户外透镜模组系列


Outdoor 270*75mm lens module series




DK-270*75-60-TP-28H1




DK-270*75-90-TP-28H1




DK-270*75-150-TPV-28H1




DK-270*75-160*80-TPII-M-28H1




DK-270*75-160*80-TPII-M-H-28H1



DK-270*75-117*52-TPIII-S-28H1




DK-270*75-140*100-TPIV-S-28H1




一款侧发光的户外反光杯系列

Outdoor reflector
with asymmetric beam series


DK-372*232-REF-TP-II-VS



DK-403*297-153*108-REF-TPIII-S




DK-437*322-150*113-REF-TPIII-S




一款326*90mm户外球场灯透镜模组系列


Outdoor 326*90mm
sports lighting lens module series





DK-326*90-20-LENS-48H1




DK-326*90-40-LENS-48H1




DK-326*90-60-LENS-48H1



DK-326*90-90-LENS-48H1




DK-326*90-40*100-LENS-126H1



一款343*182mm户外球场灯透镜模组系列


Outdoor 326*90mm
sports lighting lens module series

DK-343*182-S-LENS-72H1-SPORT




一款一体化户外透镜系列


Outdoor integration lens series




DK-163*103-140*70-TPII-S-15H1




DK-205*127-140*70-TPII-S-28H1




DK-260*138-140*70-TPII-S-40H1




DK-336*160-140*70-TPII-S-72H1




DK-382*182-140*70-TPII-S-98H1




DK-281*152-151*81-TPII-S-40H1




DK-185*91-151*81-TP-II-S-56H1




DK-232*109-151*81-TP-II-S-75H1




DK-349*126-151*81-TP-II-S-125H1




DK-313*109-TPII-M-LENS-132H1




DK-392*127-TPII-M-LENS-216H1




DK-256*211-TPII-M-151*85-50H1




DK-316*214-TPII-M-151*85-81H1





DK-356*236-TPII-M-151*85-100H1



DK-320*150-142*73-TPII-S-H9




DK-322*207-142*73-TPII-S-H9



轩辕剑

K I N G S W O R D

黄帝 - 圣道之剑，匠心之作
The Sword of the Yellow Emperor



透镜
LENS

光源
LED



铝基板
PCB

整灯200LM/W解决方案


Up to 200 lm/W solution for luminaire efficacy

- **光源方案**: 采用高光效5050 / 4*3030灯珠;
- **LED**: high efficacy 5050 or 4*3030 optoelectronics.
- **驱动方案**: 采用高效率非隔离驱动;
- **Driver**: non-isolated solution with high efficiency.
- **光学方案**: 采用特殊工艺和精准光学设计。
- **Optics**: high transparency and precious optics design from Darkoo Optics.



DK-230X155-160X80-TPII-M-21H1-NN1





DK-323X170-160X80-TPII-M-40H1-NN1






DK-404X216-160X80-TPII-M-78H1-NN1



DK-498X236-160X80-TPII-M-120H1-NN1



DK-598X271-160X80-TPII-M-170H1-NN1



夏禹剑

Summer Sword 

◆ 特征 / FEATURES

光源方案：采用高光效5050 / 4*3030 / 4*2835灯珠。

驱动方案：采用高效率驱动。

光学方案：采用特殊工艺和精准光学设计，光效高。


散热方案：整体散热系统设计分析，保证整灯光效利用率。

• **LED:** High-efficiency 5050/4x3030/4x2835 LED.


• **Driver:** High efficiency driver.

• **Optics:** Unique technology and precise optical design, high light efficiency materials.


• **Heatsink:** Total heat dissipation system design analysis to ensure the overall light efficiency.




DK-192X182-160X80-TPII-M-40H1




DK-272x182-160X80-TPII-M-78H1




DK-366X186-160X80-TPII-M-120H1





DK-366*186-20-LENS-160H1




DK-366*186-40-LENS-160H1



DK-366*186-60-LENS-160H1



DK-366*186-P50-160H1



皓月剑

Moon Sword Series 

◆ 特征 / FEATURES

光源方案：采用高光效5050 / 4*3030 / 4*2835灯珠。

驱动方案：采用高效率驱动。

光学方案：采用特殊工艺和精准光学设计，光效高。


散热方案：整体散热系统设计分析，保证整灯光效利用率。

• **LED:** High-efficiency 5050/4x3030/4x2835 LED.


• **Driver:** High efficiency driver.

• **Optics:** Unique technology and precise optical design, high light efficiency materials.



• **Heatsink:** Total heat dissipation system design analysis to ensure the overall light efficiency.




DK-197X152-146X85-TPII-M-36H1




DK-228X202-146X85-TPII-M-54H1



DK-299X202-146X85-TPII-M-96H1




DK-350X253-146X85-TPII-M-144H1



破冰剑


Warming Sword 




◆ 特征 / FEATURES

- 多尺寸，多种功率选择，400-1600W。
- 针对球场照明配光，防眩设计，UGR低，中心光强度高。
- 全系列采用进口光学级材料制作，光效高。
- Multi-size and multi-power for option, 400-1600W.
- Optical design for stadium lighting, with anti-glare design, low UGR, and higher central luminous intensity.
- Made of imported optical level materials with high efficiency.



DK-298X298-20-LENS-180H1-NN1




DK-212X212-20-LENS-90H1




DK-247X247-20-LENS-120H1-NN1




DK-298X298-40-LENS-180H1-NN1




DK-298X298-60-LENS-180H1-NN1




DK-247X247-40-LENS-120H1-NN1




DK-247X247-60-LENS-120H1-NN1



DK-212X212-40-LENS-90H1-NN1




DK-212X212-60-LENS-90H1-NN1




286-G1 SERIES

特征 / FEATURES


- 球场灯配光方案;
- 配5050/4*3030灯珠, 高光效;
- 角度: 8°/20°/40°/60°/90°/140°x100°/P50°/P60°.
- Stadium lighting scheme;
- Equipped with 5050/4 * 3030 LED beads, high luminous efficiency;
- Angle: 8°/20°/40°/60°/90°/140°x100°/ P50°/P60°.




DK-286-08-LENS-46H1




DK-286-20-LENS-46H1




DK-286-40-LENS-46H1




DK-286-60-LENS-46H1




DK-286-90-LENS-46H1




DK-286-140*100-TP-IV-46H1



DK-286-P50-LENS-46H1



DK-286-P60-LENS-46H1-sport-2




286-G2 SERIES

特征 / FEATURES

- 球场灯配光方案;
- 配3030/2835灯珠方案, 高光效, 高性价比。
- Stadium lighting scheme;
- Equipped with 3030/2835 LED bead solution, high luminous efficiency and cost-effectiveness.

DK-286*116-25-SPORT-LENS-192H1




286-G3 SERIES


特征 / FEATURES

- 球场灯配光方案;
- 配5050灯珠, 高光效, 高功率方案;
- 角度20°/40°/60°。
- Stadium lighting scheme;
- Equipped with 5050 LED beads, high luminous efficiency, high-power solution;
- Angle: 20°/40°/60°.



DK-286-20-LENS-92H1



DK-286-40-LENS-92H1



DK-286-60-LENS-92H1




520-G1 SERIES


特征 / FEATURES

- 专业球场配光，可匹配业余场馆和专业场馆。
- 光效95%以上，可匹配2835/3030/5050灯珠，双色可控。
- Professional stadium lighting can be matched with both amateur and professional venues.
- Light efficiency of over 95%, compatible with 2835/3030/5050 LED beads, dual color controllable.


DK-520-08-LENS-96H1




DK-520-20-LENS-96H1




DK-520-40-LENS-96H1





DK-520-60-LENS-96H1




DK-520-P50-LENS-96H1-P8-H




DK-520-P50-LENS-96H1-P8




DK-520-90-LENS-96H1





DK-520-120-LENS-96H1



DK-520-140X100-TP-IV-LENS-96H1



DK-520-P60-LENS-96H1




520-G2 SERIES


特征 / FEATURES

- 专业球场配光，可匹配业余场馆和专业场馆。
- 光效95%以上，可匹配2835/3030灯珠，双色可控。
- Professional stadium lighting can be matched with both amateur and professional venues.
- Light efficiency of over 95%, compatible with 2835/3030 LED beads, dual color controllable.



DK-520-18-LENS-399H1




DK-520-30-LENS-399H1




DK-520-40-LENS-399H1





DK-520-60-LENS-399H1



DK-520-90-LENS-399H1



DK-520-30*60-LENS-399H1




520-G3 SERIES


特征 / FEATURES

- 专业球场配光，可匹配业余场馆和专业场馆。
- 光效95%以上，可匹配2835/3030灯珠，双色可控。
- Professional stadium lighting can be matched with both amateur and professional venues.
- Light efficiency of over 95%, compatible with 2835/3030 LED beads, dual color controllable.


DK-520-10-144H1-XHWJ-LENS-NN1



DK-520-20-184H1-XHWJ-LENS




DK-520-40-184H1-XHWJ-LENS




521 SERIES

特征 / FEATURES


- 专业球场配光，可匹配业余场馆和专业场馆。
- 光效95%以上，可匹配2835/3030灯珠，双色可控。
- Professional stadium lighting can be matched with both amateur and professional venues.
- Light efficiency of over 95%, compatible with 2835/3030 LED beads, dual color controllable.




DK-521X137-20-LENS-118H1




DK-521X137-40-LENS-118H1




DK-521X137-60-LENS-118H1




DK-521X137-P50-LENS-118H1-P8




DK-521X137-P50-LENS-118H1-P8-H





DK-521X137-P65-LENS-118H1-P8-H




DK-521X137-90-LENS-118H1





DK-521X137-08-LENS-120H1




DK-521X137-20-LENS-190H1




DK-521X137-40-LENS-190H1




DK-521X137-60-LENS-190H1




DK-521X137-P50-LENS-190H1




DK-521*137-25-LENS-616H1




DK-521X137-40-LENS-616H1



DK-521*137-60-LENS-616H1





DK-521*137-P50-LENS-616H1



赤霄劍

Chixiao Sword Series 



◆ 特征 / FEATURES

光源方案：采用高光效5050 / 4*3030灯珠；

LED: high efficacy 5050 or 4*3030 optoelectronics.



驱动方案：采用高效率非隔离驱动；

Driver: non-isolated solution with high efficiency.


光学方案：采用特殊工艺和精准光学设计。

Optics: high transparency and precious optics design from Darkoo Optics.



DK-175*174-160*80-TPII-M-44H1





DK-226*175-160*80-TPII-M-60H1



DK-271*210-160*80-TPII-M-120H1



DK-382*268-160*80-TPII-M-180H1



249X129路灯透镜

DK-249X129-LENS-60H1-146x85-TPII-M


◆ 特征 / FEATURES

- 采用特殊工艺和精准光学设计，出光均匀，无暗区。
- 配光符合标准应用场景。
- 防水设计，IP65防水标准。
- 采用进口级高透光学级材料，光效高。
- Utilizing special processes and precise optical design, it delivers uniform light output with no dark areas.
- The light distribution meets the standards for typical application scenarios.
- Features a waterproof design with an IP65 rating.
- Made from imported high-transparency optical-grade materials for high luminous efficiency.

◆ 应用 / APPLICATION



◆ 角度 / ANGLE





◆ 光源 / LED CHIP

5050

◆ 透镜尺寸 / LENS SIZE

249X129mm (60H1)





DARKOO®
Optics

达尔科光学有限公司
DARKOO OPTICS CO., LTD.

Tel: (86)760-85332970 Fax: (86)760-85335526

Address: DARKOO Industrial Park, Wei 12 Road, Tsuihang New

District, Zhongshan, Guangdong, China

E-mail: darkoo@darkoo.com

Website: <http://www.darkoo.com> <http://www.darkoo.cc>

